



K+ SERIES: KBT-SB2-CBR3-BM

Combination Bench Mounted Two Open Burners & 300mm Char Broiler




Standard Features:


- AISI Grade Stainless Steel
- Heavy duty complete stainless steel frame
- 30MJ two piece open cooktop burner (BT)
- 34MJ stainless steel U-Burner per 300mm section (CBR)
- · Heavy duty cast iron boiling top trivets
- Heavy duty cast iron J-Grates & Radiant Hoods (CBR)
- Reversible J-Grates allow for an inclined or flat cooking surface
- Flame Failure & Pilot Included as standard
- Piezo ignition to pilot char broiler burner
- Multi-setting gas valve Allows greater regulation of flame setting
- Easy access to all components for servicing and adjustments
- Easy to clean fat spillage trays

Options:

· Natural or LPG Gas

Specifications:





MODEL	LENGTH (mm)	DEPTH (mm)	HEIGHT (mm)	NET WEIGHT (kg)	GAS CONSUMPTION (Mj/h)	
					NG	LPG
KBT-SB2-CBR3-BM	600	840	425	-	94	90

Connections:

GAS (GI)	SUPPLY PRESSURE (kPa)			
(BSP)	NG	LPG		
³ ⁄ ₄ " (M)	1.0	2.6		

- Gas regulator is included with the unit
- Must be installed by an authorised installer in accordance to AS/NZS5601 refer to current version

Due to ongoing Product Development, Product Improvement and Research, B+S Commercial Kitchens reserves the right to alter specification without notice.

Approval Number: GMK 10703





